

Weather Data: Port Blair

Normal Rainfall - 3180 mm

Sl No.	Year	Actual Rainfall (in mm)	Rainy Days	Maximum Temperature (°C)	Minimum Temperature (°C)	Humidity (%) at 0830 hrs	Humidity (%) at 1730 hrs	Wind Speed (km/h)
1	2022	2587.20	129	30.62	25.08	78.33	81.83	4.13
2	2021	3461.00	147	30.72	24.92	78.83	82.42	5.38
3	2020	2881.80	131	30.77	24.92	77.33	81.67	7.21
4	2019	2954.43	116	30.87	24.5	77.25	80.83	6.87
5	2018	2959.80	134	30.5	24.7	79	83	7.46
6	2017	2866.60	132	30.9	24.9	79	83	7.5
7	2016	2833.19	122	31.2	24.8	78	81	8.08
8	2015	2837.13	136	31.0	24.70	78	81	6.67
9	2014	2597.76	120	31.0	24.83	77	80	7.83
10	2013	3672.34	158	31.0	24.50	80	83	9.01
11	2012	3428.5	157	31.0	24.10	81	84	8.91
12	2011	3771.6	166	30.8	24.40	82	85	10.70
13	2010	3126.6	159	31.3	24.60	80	83	6.74
14	2009	2531.6	151	30.7	24.50	78	81	8.40
15	2008	3254.8	158	30.2	24.00	80	82	9.80
16	2007	2665.3	145	30.2	23.90	78	82	9.60
17	2006	2538.6	149	30.2	23.90	78	81	8.00
18	2005	2714.5	153	30.5	24.30	77	80	5.80
19	2004	2436.7	147	30.5	24.20	76	79	7.00
20	2003	2483.6	130	30.4	24.20	77	80	7.20
21	2002	2287.1	140	30.5	23.50	77	81	7.80
22	2001	2800.7	159	30.2	23.50	78	81	7.50
23	2000	2429.0	154	29.9	23.30	79	81	7.80
24	1999	2693.8	209	29.8	22.80	79	82	7.00
25	1998	2751.9	192	30.6	23.20	78	81	6.80
26	1997	2396.7	158	30.3	23.10	76	79	8.40
27	1996	3206.5	178	30.0	23.60	78	82	7.70
28	1995	3016.5	180	30.2	23.80	78	80	7.80
29	1994	3044.0	151	30.1	23.40	77	80	9.00
30	1993	2390.6	142	30.0	24.00	75	78	7.40

31	1992	2290.2	139	29.6	23.00	76	80	9.40
32	1991	2585.4	145	30.0	23.70	77	79	9.50
33	1990	2265.1	163	29.9	24.20	79	81	8.80
34	1989	2493.4	184	29.6	20.40	78	79	9.40
35	1988	2913.8	199	29.8	21.60	78	80	9.40
36	1987	2277.8	181	30.2	22.90	77	79	9.40
37	1986	2177.1	174	29.9	22.20	76	79	10.20
38	1985	2503.8	189	29.1	23.30	77	80	10.40
39	1984	2492.3	124	29.8	23.60	77	80	9.80
40	1983	2669.6	137	30.0	23.40	76	78	8.80
41	1982	2069.9	119	29.9	22.50	77	80	10.20
42	1981	2778.9	127	29.9	23.20	76	81	10.80
43	1980	3278.2	127	30.2	23.10	77	79	10.60
44	1979	1950.3	117	30.2	23.40	76	78	10.70
45	1978	2676.9	130	29.8	21.10	78	79	11.00
46	1977	2458.4	124	29.8	21.00	78	80	10.90
47	1976	3166.6	138	29.1	20.80	76	78	11.60
48	1975	3529.6	140	29.4	22.20	79	81	10.70
49	1974	2961.0	138	29.4	22.30	77	80	NA
50	1973	2980.7	138	29.7	23.60	78	80	NA
51	1972	2979.6	138	29.9	21.90	77	81	NA
52	1971	2970.1	132	30.3	22.50	76	80	NA
53	1970	3222.9	157	30.7	23.20	78	82	NA
54	1969	2714.1	118	30.8	23.30	77	81	NA
55	1968	2705.4	121	30.7	23.50	76	81	NA
56	1967	2975.7	149	30.4	23.20	78	82	NA
57	1966	2927.7	120	30.6	23.30	77	82	NA
58	1965	3215.7	145	30.4	22.90	NA	NA	NA
59	1964	3323.8	142	30.5	23.00	NA	NA	NA
60	1963	3229.2	185	30.0	24.00	NA	NA	NA
61	1962	3260.4	194	30.1	23.70	NA	NA	NA
62	1961	4362.4	197	29.7	23.70	NA	NA	NA
63	1960	3079.9	NA	30.4	23.90	NA	NA	NA
64	1959	3585.7	NA	30.5	23.80	NA	NA	NA
65	1958	3151.0	NA	30.8	23.90	NA	NA	NA

66	1957	2898.1	NA	30.6	23.50	NA	NA	NA
67	1956	3031.3	NA	29.6	23.80	NA	NA	NA
68	1955	3338.6	NA	29.9	23.80	NA	NA	NA
69	1954	4027.2	NA	30.3	23.70	NA	NA	NA
70	1953	2876.8	NA	30.2	23.80	NA	NA	NA
71	1952	3019.4	NA	30.1	24.10	NA	NA	NA
72	1951	3274.6	NA	30.0	23.80	NA	NA	NA
73	1950	2421.6	NA	29.8	23.50	NA	NA	NA
74	1949	3489.3	NA	29.8	23.50	NA	NA	NA
75	1948	3369.5	NA	NA	0.00	NA	NA	NA
76	1947	3485.5	NA	NA	0.00	NA	NA	NA

